



Sunmight



SHAPE TO SHINE
COARSE TO FINE

*Gold***NARROW BELTS***Gold***ALOXIDE RESIN BELTS****Benchstand and Backstand Belts**

- Grinding and de-burring of all metals
- Final polishing of forged components like hand tools
- Blending and shaping of brass castings like sanitary ware fittings








Centreless, Conveyor and Platen Belts

- Intermediate grinding of stainless steel and carbon steel
- Glass edge bevelling
- Moderate pressure applications in furniture sanding

Portable File Belts

- Finishing, contour and shape sanding of all metallic surfaces where flexibility and ability to grind hard-to-reach areas is a requirement

ATTRIBUTES	BENEFITS	AVAILABILITY
Tough aloxide grains	Suitable for medium & high pressure applications	Narrow belts < 600 mm
X-wt. cotton backing	Optimised strength & flexibility combination for edge of the contact wheel grinding	Code CC34X [Grits 36, 60, 80, 120, 220, 320, 400]
Tough adhesion system	Grain shedding resistance	

INDUSTRY	Primary Auto	Metal Fabrication	Non Auto Castings	Non Auto Forgings	Steel	Glass	 Recommended
USAGE							








*Gold***ALOXIDE RESIN PREMIUM BELTS****Benchstand and Backstand Belts**

- Heavy stock removal applications on hand tools and castings
- Grinding and deburring of aluminium castings
- Blending ; dimensioning and Shaping of brass castings like Sanitary ware fittings

Centreless, Conveyor and Platen Belts

- Intermediate grinding of stainless steel and carbon steel
- Moderate pressure applications in furniture sanding

ATTRIBUTES	BENEFITS	AVAILABILITY
Tough premium aloxide grains	Suitable for medium & high pressure applications. High life/high cut rate	Narrow belts < 600 mm
X-wt. premium backing	Optimised strength & flexibility combination for edge of the contact wheel grinding	Code CC44N [Grits 36, 60, 80, 120, 220, 320, 400]
Tough adhesion system	Grain shedding resistance	
Best in class coating process	Consistent MRR and best in class finish	

INDUSTRY	Primary Auto	Metal Fabrication	Non Auto Castings	Non Auto Forgings	Steel	Leather	 Recommended
USAGE							

*Gold***NARROW BELTS***Gold***ALOXIDE RESIN SUPREME BELTS****Benchstand and Backstand Belts**

- Heavy stock removal applications on hand tools and castings
- Grinding and deburring of aluminium castings
- Blending, dimensioning and shaping of brass castings like Sanitary ware fittings

Centreless, Conveyor and Platen Belts

- Intermediate grinding of stainless steel and carbon steel
- Moderate pressure applications in furniture sanding

ATTRIBUTES	BENEFITS	AVAILABILITY
Tough premium aloxide grains	Suitable for medium & high pressure applications. High life/high cut rate	Narrow belts < 600 mm
X-wt. premium processed tough backing	Optimised strength & flexibility combination for long life and output	Code CP44N
Tough adhesion system	Grain shedding resistance	[Grits 36, 60, 80, 120, 220, 320, 400]
Best in class coating process	Consistent MRR and best in class finish	

INDUSTRY	Primary Auto	Metal Fabrication	Non Auto Castings	Non Auto Forgings	Steel	Glass	
USAGE							<div> Recommended</div> <div> Not Recommended</div>

*Gold***FLEXII BELTS****Benchstand and Backstand Belts**

- Sanding of surface and edges
- Sanding of shapes and profiles
- Sanding of parts with contours and delicate corners

Centreless, Conveyor and Platen Belts

- Intermediate grinding of stainless steel and brass
- Moderate pressure applications in furniture sanding
- Drum sanding – wood working

ATTRIBUTES	BENEFITS	AVAILABILITY
Premium aluminum oxide grains	Suitable for medium & low pressure applications.	Narrow belts < 450 mm
J-wt. flexible backing	Best in class flexibility for edge of the contact wheel grinding	Code CC44J [Grits 60, 80, 120, 220, 320, 400]
Tough adhesion system	Grain shedding resistance	
Best in class coating process	Consistent MRR and best in class finish	

INDUSTRY	Primary Auto	Metal Fabrication	Non Auto Castings	Non Auto Forgings	Steel	Leather	
USAGE							<div> Recommended</div> <div> Not Recommended</div>



Gold

NARROW BELTS



Gold

ZIRCONIUM BELTS






Benchstand and Backstand Belts


- For hard to grind materials – high carbon steel, titanium, SS –grinding/blending
- Deburring applications – gates, risers, runners

Centreless, Conveyor and Platen Belts

- Intermediate grinding of stainless steel and carbon steel
- Sanding metallic surfaces for better adhesion properties
- Strip and coil grinding

ATTRIBUTES	BENEFITS	AVAILABILITY
Zirconia alumina grains	Best in class cut rate, longlife, cool cut	Narrow belts < 600 mm
X-wt. & Y-wt. premium processed tough backing	Fray resistant, suitable for high pressure grinding	Code BZP 628
Tough adhesion system	Grain shedding resistance	[Grits 36, 60, 80,120]
Best in class coating process	Consistent high cut rate and finish	

INDUSTRY	Primary Auto	Metal Fabrication	Non Auto Castings	Non Auto Forgings	Steel
USAGE					

 Recommended





Gold

WIDE BELTS



Gold

SILICON CARBIDE WIDE BELTS

- Silicon Carbide, cloth /polyester backed wide belts are designed for high productivity and consistent finish
- Code product grit best suited for particle / chip boards, mdf, decorative laminates, SS coils
- Code: DCY 658
- Grits: 36, 40, 50, 60, 80, 100, 120, 150, 180, 220
- Width: 610 ~1350mm



Gold

ALUMINIUM OXIDE WIDE BELTS

- Aluminum oxide, cloth backed wide belts are designed for high productivity and consistent finish
- Best suited for plywood, solid wood boards, block boards
- Code: CC34X / CC44N/CP44N
- Grits: 36, 40, 50, 60, 80, 100, 120, 150, 180, 220
- Width: 610 ~1350mm



Gold

ZIRCONIA WIDE BELTS

- Aluminum oxide, cloth /polyester backed wide belts are designed for high productivity and consistent finish
- Best suited for ss coils, friction material, solid wood boards, sheet metal
- Code: BZP 628
- Grits: 36, 60, 80, 100, 120
- Width: 610 ~1350mm



*Gold***DISC & Water Proof Paper***Gold***GRIP DISC**

- AIPL GOLD GRIP DISC IS a light weight paper disc with quality grain and strong resin.
- Size: 150 mm 6 hole

ATTRIBUTES	BENEFITS	AVAILABILITY
Aluminium oxide grain	Fast cut and long life	Grit 80 to 2000
Paper backing	Ideal for power sanding and superior finish	
Semi open coat construction	Minimize dust	

INDUSTRY	Primary Auto	Metal Fabrication	Furniture	Non Auto Forgings	Steel	Glass
USAGE						

Recommended
 Not Recommended

*Gold***GRIP DISC**

- AIPL GOLD GRIP DISC IS a light weight paper disc with quality grain and strong resin.
- Size : 127 mm No hole

ATTRIBUTES	BENEFITS	AVAILABILITY
Aluminium grain	Fast cut and long life	Grit 60 , 80 , 100, 120, 150, 180, 220, 320, 320, 400, 600
Paper backing	Ideal for power sanding and superior finish	
Semi open coat construction	Minimize dust	

INDUSTRY	Primary Auto	Metal Fabrication	Furniture	Non Auto Forgings	Steel	Glass
USAGE						

Recommended
 Not Recommended

*Gold***DISC & Water Proof Paper***Gold***Aipl Gold Fiber Disc**

- Individual coated disc
- Size : 100 mm & 127 mm

ATTRIBUTES	BENEFITS	AVAILABILITY
Brown aluminium oxide grain	Consistent finish	Grits - 36 , 60 , 80 , 100 , 120
Valcanized fiber backing	Heavy stock removal to surface blending application	
Ideal for general purpose application	Less loading	

INDUSTRY	Primary Auto	Metal Fabrication	Furniture	Non Auto Forgings	Steel	Glass	
USAGE							Recommended Not Recommended

*Gold***WATER PROOF PAPER**

- Superior quality paper backing
- Size : 230 mm x 280 mm
- Yellow Color water proof paper

ATTRIBUTES	BENEFITS	AVAILABILITY
Silicon carbide mineral	Water resistant paper backing	Grit - 60 to 2000
Craft paper backing	High quality finish with less scratch marks	
Strong resin	Ideal for automotive & wood sanding	

INDUSTRY	Primary Auto	Metal Fabrication	Furniture	Non Auto Forgings	Steel	Glass	
USAGE							Recommended Not Recommended



Gold

WOOL PAD & MASKING TAPE







Gold

Wool Pad

- High quality Wool with the fine blended fiber
- Size : 7" wool pad

ATTRIBUTES	BENEFITS	AVAILABILITY
Best quality wool yarn	Effectively removes scratch marks and swirl marks	7" wool pad
Untwisted wool yarn construction improves handling across large areas	Give high gloss on metal, clear & composite surfaces	

INDUSTRY	Primary Auto	Metal Fabrication	Furniture	Non Auto Forgings	Steel	Glass
USAGE						

 Recommended
 Not Recommended



Gold

MASKING TAPE

- Best quality
- High performance
- Multipurpose usage
- 100% guaranteed length
- Pressure sensitive adhesive tape



*Gold***CLOTH ROLL***Gold***CC34X**

- Abrasive : Aluminium oxide grains
- Applications : Hands on & machine application low speed
- Backing : X-wt. cloth backing
- Coating : Resin/Resin coating
- Grit Range : 36-400
- Width : 75, 100, 150, 228, 250, 300 mm
- Standard Length : 50 meter
- Consistent cutting performance
- Suitable for metal, wood

*Gold***CC44N**

- Abrasive : Aluminium oxide grains
- Applications : Hands on & machine application low/high speed
- Backing : X-wt. premium cloth backing
- Coating : Resin /Resin coating
- Grit Range : 36-400
- Width : 75, 100, 150, 228, 250, 300 mm
- Standard Length : 50 meter
- Consistent cutting performance
- Suitable for metal, wood, leather, rubber

*Gold***CP44N**

- Abrasive : Aluminium oxide grains
- Applications : Hands on & machine application low/high speed
- Backing : X-wt. poly cotton cloth backing
- Coating : Resin /Resin coating
- Grit Range : 36-400
- Width : 75, 100, 150, 228, 250, 300 mm
- Standard Length : 50 meter
- Consistent cutting performance
- Suitable for metal, wood, leather, rubber

*Gold***CC44J**

- Abrasive : Aluminium oxide grains
- Applications : Hands on & machine application low speed
- Backing : J-wt. cloth backing
- Coating : Resin /Resin coating
- Grit Range : 60-400
- Width : 75, 100, 150, 228, 250, 300 mm
- Standard Length : 50 meter
- High surface finish
- Suitable for contour objects metal, wood


*Gold***BZP628**

- Abrasive : Zirconium grains
- Applications : Hands on & machine application low/high speed
- Backing : X-wt., Y-wt. heavy poly cotton cloth backing
- Coating : Resin /Resin coating
- Grit Range : 36-120
- Width : 75, 100, 150, 228, 250, 300 mm
- Standard Length : 50 meter
- Consistent heavy stock removals
- Suitable for metal, wood, leather, rubber



Sunmight

GRIP DISC & ABRASIVE PAPER



Sunmight

150MM 6 HOLE GRIP DISC

- AIPL SUNMIGHT GOLD is a premium paper product made with high quality grain.
- Aluminium oxide grain
- Latex paper
- Open coat
- Size : 150 mm with 6 holes
- Grit 36 - 1200
- High cutting performance
- Good sharpness
- Anti clogging



Sunmight

FILM GRIP DISC

- AIPL Sunmight film disc allows better surface finish and longer life.
- Premium aluminium oxide grain
- Polyester film backing
- Phenolic resin coated
- Open coat
- Size : 150 mm with 6 holes
- Grit Range - 36 - 2000
- Superior surface finish and longer life
- Great for corner and edge sanding without problem with tearing
- Suitable for metal, wood & others



Sunmight

WATER PROOF PAPER

- Best quality water proof paper
- Aluminium oxide grain
- Latex paper
- Superior design
- Consistent finish
- Size : 230 mm x 280 mm
- Grit range - 60 - 3000
- Longer life
- High quality water resistant paper backing
- Suitable for metal, wood & others





Sunmight

PSA DISC



Sunmight

125MM NO HOLE PSA DISC

- Premium paper disc - no hole
- Aluminium oxide grain
- Latex paper backing
- Phenolic resin coated
- Size : 125 mm
- Grit 60, 80 , 100, 120 ,150, 180, 220, 320, 400, 600
- Better performance & longer life
- Suitable for metal, wood & others



Sunmight

125MM WITH HOLE PSA DISC

- PSA DISC With 5 Hole
- Latex paper and strong resin
- Better performance & longer life
- Size : 125 mm with hole
- Grit 60, 80 , 100, 120 ,150, 180, 220, 320, 400, 600
- Suitable for metal, wood & others



WAH!

(We are here)



AIPL ZORRO PVT. LTD.

302, 3rd Floor, D-Mall, Netaji Subhash Place, Opp. Wazirpur DTC Depot, Delhi-34
For consumer complaint please contact customer care : 011-49010144,
Mob. : +91-9900095746, 9555222772,
Web. : www.aiplabro.com, E-Mail : info@aiplabro.com



TOLL-FREE NO
1800 27 40409